- 11. (New) The method of Claim 9, wherein the concentration of polysulfide sulfur in the alkaline cooking liquor containing polysulfides is at least about 6 g/l.
- 12. (New) The method of Claim 9, wherein the concentration of polysulfide sulfur in the alkaline cooking liquor containing polysulfides is at least about 8 g/l.
- 13. (New) The method of Claim 9, wherein the alkaline cooking liquor containing polysulfides is produced by electrolysis of white liquor or green liquor.
- 14. (New) The method of Claim 9, wherein the concentration of Na₂S-state sulfur calculated as Na₂O in the alkaline cooking liquor containing polysulfides is at least about 10 g/l.
- 15. (New) The method of Claim 9, wherein the alkaline cooking liquor during the cooking contains from about 0.01-1.5 wt.% of the quinone-hydroquinone compound based on bone-dry chip.
- 16. (New) The method of Claim 9, wherein a liquid to wood ratio of the cooking liquor during the cooking is from about 1.5-5.0 l/kg based on bone-dry chip.
- 17. (New) The method of Claim 9, wherein the quinone-hydroquinone compound comprises an alkyl anthraquinone, a quinone or hydroquinone compound.
- 18. (New) The method of Claim 17, wherein the alkyl anthraquinone comprises 1-ethyl-9,10-anthraquinone or 2-methyl-9,10-anthraquinone.
- 19. (New) The method of Claim 17, wherein the quinone compound comprises 1-hydroxy-9,10-anthraquinone, 2-(9,10-anthraquinoyl)-1-ethanesulfonic acid, 9,10-anthraquinone-2-sulfuric acid, 9,10-anthraquinone-2-carboxylic acid, 9,10-anthraquinone-2,7-disulfonic acid, benz (α) anthracene-7,12-dion, 1,4, 4a, 9a-tetrahydro-9,10-anthraquinone or 1,4-dihydro-9,10-anthraquinone.

- 20. (New) The method of Claim 9, wherein the lignocellulose material comprises soft wood.
- 21. (New) The method of Claim 9, wherein the lignocellulose material comprises hard wood.
- 22. (New) The method of Claim 9, wherein the alkaline cooking liquor containing polysulfides is prepared by electrolytically oxidizing an alkaline solution comprising sulfide ions.
 - 23. (New) An alkaline pulp cooking liquor composition, comprising:
 - a) polysulfides; and
- b) one or more quinone-hydroquinone compounds having, in a form present during pulp cooking, an oxidation-reduction potential of about 0.12-0.25V to the standard hydrogen potential;

which potential is calculated as a standard oxidation-reduction potential (Ea) with a hydrogen ion activity of 1.

- 24. (New) The composition of Claim 23, wherein the oxidation-reduction potential is from about 0.14-0.20 V to the standard hydrogen electrode potential.
- 25. (New) The composition of Claim 23, wherein the concentration of polysulfide sulfur in the alkaline cooking liquor containing polysulfides is at least about 6 g/l.
- 26. (New) The composition of Claim 23, wherein the concentration of polysulfide sulfur in the alkaline cooking liquor containing polysulfides is at least about 8 g/l.
- 27. (New) The composition of Claim 23, wherein the alkaline cooking liquor containing polysulfides is produced by electrolysis of white liquor or green liquor.

- 28. (New) The composition of Claim 23, wherein the concentration of Na₂S-state sulfur calculated as Na₂O in the alkaline cooking liquor containing polysulfides is at least about 10 g/l.
- 29. (New) The composition of Claim 23, wherein the alkaline cooking liquor during the cooking contains from about 0.01-1.5 wt.% of the quinone-hydroquinone compound based on bone-dry chip.
- 30. (New) The composition of Claim 23, wherein a liquid to wood ratio of the cooking liquor during the cooking is from about 1.5-5.0 l/kg based on bone-dry chip.
- 31. (New) The composition of Claim 23, wherein the quinone-hydroquinone compound comprises an alkyl anthraquinone, a quinone or hydroquinone compound.
- 32. (New) The composition of Claim 23, wherein the alkyl anthraquinone comprises 1-ethyl-9,10-anthraquinone or 2-methyl-9,10-anthraquinone.
- 33. (New) The composition of Claim 23, wherein the quinone compound comprises 1-hydroxy-9,10-anthraquinone, 2-(9,10-anthraquinoyl)-1-ethanesulfonic acid, 9,10-anthraquinone-2-sulfuric acid, 9,10-anthraquinone-2-carboxylic acid, 9,10-anthraquinone-2,7-disulfonic acid, benz (α) anthracene-7,12-dion, 1,4, 4a, 9a-tetrahydro-9,10-anthraquinone or 1,4-dihydro-9,10-anthraquinone.
- 34. (New) The composition of Claim 23, wherein the alkaline cooking liquor containing polysulfides is prepared by electrolytically oxidizing an alkaline solution comprising sulfide ions

REMARKS

Claims 1-8 have been cancelled. New Claims 9-34 have been added and are now active in this case.